

From: Richard Rupert/R3/USEPA/US
Sent: 9/5/2012 9:51:35 AM

To: "Robert Helverson" <Helverson.Robert@epamail.epa.gov>
CC: "Lora Werner" <lora.werner@epa.gov>; "richard.fetzer@epa.gov" <richard.fetzer@epa.gov>
Subject: Re: Fw: Ex. 6 - Personal Privacy Call - Saturday Sept 1

I hope to get the number both from Cabot and DEP tomorrow morning.

Richard Rupert,
On-Scene Coordinator
U.S. EPA
1650 Arch Street - 3HS31
Philadelphia, PA 19103
(215) 814-3463 - office
215 514-8773 - mobile
rupert.richard@epa.gov

"The commander in the field is always right and the rear echelon is wrong, unless proved otherwise."
Colin Powell

From: Robert Helverson/R3/USEPA/US
To: Richard Rupert/R3/USEPA/US
Cc: "Lora Werner" <lora.werner@epa.gov>
Date: 09/05/2012 09:49 AM
Subject: Re: Fw: Ex. 6 - Personal Privacy Call - Saturday Sept 1

Thanks for this update Rich.

If you receive any additional technical information (LEL or FID indoor air, headspace or other enclosed space concentrations) from PADEP ER (Augie) can you let us know?

Robert H. Helverson
Regional Representative
Agency for Toxic Substances and Disease Registry (ATSDR), Region 3
Department of Health and Human Services
1650 Arch Street (3HS00)
Philadelphia, PA 19103
(215) 814-3139 (Office)
(215) 814-3003 (Fax)

From: Richard Rupert/R3/USEPA/US
To: "Lora Werner" <lora.werner@epa.gov>, "Robert Helverson" <Helverson.Robert@epamail.epa.gov>
Date: 09/05/2012 09:19 AM
Subject: Fw: Ex. 6 - Personal Privacy Call - Saturday Sept 1

FYI

Richard Rupert
On-Scene Coordinator
Region III U.S.Environmental Protection Agency

1650 Arch Street, 3HS31
Philadelphia, PA 19103-2029
(215) 814-3463 FAX (215) 814-3254
e-mail rupert.richard@epa.gov

----- Original Message -----

From: Richard Rupert

Sent: 09/04/2012 01:39 PM EDT

To: KAUGUSTINE@state.pa.us

Cc: richard.fetzer@epa.gov; gerald.heston@epa.gov; dennis.carney@epa.gov

Subject: Ex. 6 - Personal Privacy Call - Saturday Sept 1
Kevin,

I wanted to follow up on the phone conversation we had on Sunday so you would have all the details from my perspective.

At about noon on Saturday, September 1, Ex. 6 - Personal Privacy called me: I missed the call and returned it to her at 3:45pm. Ex. 6 - Personal Privacy

Ex. 6 - Personal Privacy reported that an explosive gas and carbon monoxide sensor located in the living room of the residence located at

Ex. 6 - Personal Privacy had alerted with the message "explosive methane - evacuate". She explained that her

Ex. 6 - Personal Privacy had been sleeping in the living room when the sensor alerted. According to Ex. 6 - Personal Privacy
Ex. 6 - Personal Privacy and Ex. 6 - Personal Privacy and

reported what had happen. She indicated that Ex. 6 - Personal Privacy was staggering and said she called an ambulance because she was concerned for his health: she added that he was transported to the medical facility in Montrose for observation. According to Ex. 6 - Personal Privacy when she went to Ex. 6 - Personal Privacy the windows were open and a fan was running. She was not sure if this was the situation when the sensor alerted. Ex. 6 - Personal Privacy told me that she had called both DEP and Cabot but no one had yet arrived. I later learned that DEP, Moody and Cabot had arrived sometime after 4pm.

As you recall I called you sometime after I hung up with Ex. 6 - Personal Privacy You indicated a team enroute to Ex. 6 - Personal Privacy I understand that in addition to DEP both Moody and Cabot were present at Ex. 6 - Personal Privacy though I am unclear of exactly how much methane was detected.

My concern is the following: there is no methane removal system in-place at Ex. 6 - Personal Privacy the current water treatment system installed in the bedroom closest of Ex. 6 - Personal Privacy chlorinates and carbon filters the water. During our last groundwater sampling event at Ex. 6 - Personal Privacy there was a large volume of methane gas detected off gassing from the groundwater. The way the current treatment system located in the closest is configured, off gassing methane could escape into the bedroom and house and potentially lead to unsafe conditions either due to explosive levels or potentially displacing oxygen leading to an oxygen deficient atmosphere.

Please call me anytime on my mobile if you want to discuss further.

Rupert

Richard Rupert,
On-Scene Coordinator
U.S. EPA
1650 Arch Street - 3HS31
Philadelphia, PA 19103
(215) 814-3463 - office
215 514-8773 - mobile
rupert.richard@epa.gov

"The commander in the field is always right and the rear echelon is wrong, unless proved otherwise."
Colin Powell